















































































































- Sádlo, J., Vítková, M., Pergl, J., & Pyšek, P. (2017). Towards site-specific management of invasive alien trees based on the assessment of their impacts: The case of *Robinia pseudoacacia*. *NeoBiota*, 35, 1–34. <https://doi.org/10.3897/neobiota.35.11909>
- Scheffer, R. J., Voeten, J. G. W. F., & Guries, R. P. (2008). Biological control of Dutch elm disease. *Plant Disease*, 92(2), 192–200. <https://doi.org/10.1094/PDIS-92-2-0192>
- Schowalter, T. D., & Ring, D. R. (2017). Biology and management of the fall webworm, *Hyphantria cunea* (Lepidoptera: Erebidae). *Journal of Integrated Pest Management*, 8(1).
- Sönmez, E., Demirbağ, Z., & Demir, İ. (2016). Pathogenicity of selected entomopathogenic fungal isolates against the oak lace bug, *Corythucha arcuata* Say. (Hemiptera: Tingidae), under controlled conditions. *Turkish Journal of Agriculture and Forestry*, 40(5), 715–722. <https://doi.org/10.3906/tar-1412-10>
- Standish, R. J. (2002). Experimenting with methods to control *Tradescantia fluminensis*, an invasive weed of native forest remnants in New Zealand. *New Zealand Journal of Ecology*, 26(2), 161–170.
- Szalay-Marzso, L. (1971). Biology and Control of the Fall Webworm (*Hyphantria cunea* Drury) in the Middle- and East European Countries. *EPPA Bulletin*, 1(3), 23–31.
- Tarasco, E., Triggiani, O. (2006). Evaluation and comparison of entomopathogenic nematodes and fungi to control *Corythucha ciliata* Say (Rhynchota Tingidae). *Redia*, 89, 51–54.
- Tjosvold, S. A., Koike, S. T., & Chambers, D. L. (2008). Evaluation of fungicides for the control of *Phytophthora ramorum* infecting *Rhododendron*, *Camellia*, *Pieris*, and *Viburnum*. *Plant Health Progress*, 9(1), 27.
- Tomescu, R., Olenici, N., Netoiu, C., Bălăcenoiu, F., & Buzatu, A. (2018). Invasion of the oak lace bug *Corythucha arcuata* (Say.) in Romania: A first extended reporting. *Annals of Forest Research*, 61(2), 161–170. <https://doi.org/10.15287/afr.2018.1187>
- Wilkinson, C. J., Holmes, J. M., Tynan, K. M., Colquhoun, I. J., McComb, J. A., Hardy, G. E. S. J., & Dell, B. (2001). Ability of phosphite applied in a glasshouse trial to control *Phytophthora cinnamomi* in five plant species native to Western Australia. *Australasian Plant Pathology*, 30(4), 343–351. <https://doi.org/10.1071/AP01055>
- Wittenberg, R., & Cock, M. J. W. (2001). *Invasive alien species: a toolkit of best prevention and management practices*. Wallingford, Oxon, UK: CAB International. <https://doi.org/10.1079/9780851995694.0000>
- Yoon, C., Yang, J. O., Kang, S. H., & Kim, G. H. (2008). Insecticidal properties of bistrifluron against sycamore lace bug, *Corythucha ciliata* (Hemiptera: Tingidae). *Journal of Pesticide Science*, 33(1), 44–50. <https://doi.org/10.1584/jpestics.G07-0>

