



UNIUNEA EUROPEANĂ



Instrumente Structurale
2014-2020

- Szitár, K., & Török, K. (2008). Short-Term Effects of Herbicide Treatment on the Vegetation of Semiarid Sandy Oldfields Invaded By *Asclepias syriaca* L. *Ecological Restoration*, 6–9.
- Tang, W., Kuang, J., & Qiang, S. (2013). Biological control of the invasive alien weed *Solidago canadensis*: combining an indigenous fungal isolate of *Sclerotium rolfsii* SC64 with mechanical control. *Biocontrol Science and Technology*, 23(10), 1123–1136. <https://doi.org/10.1080/09583157.2013.820255>
- Toth, S., Szalai, M., Kiss, J., & Toepfer, S. (2020). Missing temporal effects of soil insecticides and entomopathogenic nematodes in reducing the maize pest *Diabrotica virgifera virgifera*. *Journal of Pest Science*, 93(2), 767–781. <https://doi.org/10.1007/s10340-019-01185-7>
- Tu, M., & Team, T. N. C. W. I. S. (2003). Element Stewardship Abstract for *Elaeagnus angustifolia* L. or Russian olive, Oleaster. The Nature Conservancy. Retrieved from <https://www.invasive.org/gist/esadocs/documnts/elaeng.pdf>
- Vizantinopoulos, S., & Katranis, N. (1998). Weed management of *Amaranthus spp.* in corn (*Zea mays*). *Weed Technology*, 12(1), 145–150. <https://doi.org/10.1017/s0890037x00042718>
- Viziteu, V., Baciu, M.-C., Nichita, F., Lupuleasa, E. (2007). Eficacitatea unor insecticide folosite in combaterea gandacului din Colorado *Leptinotarsa decemlineata* Say in anul 2007. *Lucrari Stiintifice, USAMV*, 51.
- Zukoff, S. N., Zukoff, A. L., Geisert, R. W., & Hibbard, B. E. (2016). Western Corn Rootworm (Coleoptera: Chrysomelidae) Larval Movement in eCry3.1Ab+mCry3A Seed Blend Scenarios. *Journal of Economic Entomology*, 109(4), 1834–1845. <https://doi.org/10.1093/jee/tow046>
- www.cen-centre.org/groupeplantes-invasives/



MINISTERUL MEDIULUI



UNIVERSITATEA DIN
BUCUREȘTI
VIRTUTE ET SAPIENTIA



MANAGEMENTUL
SPECIILOR INVAZIVE
DIN ROMÂNIA